

ตารางผนวกที่ 1 ชนิดสัตว์น้ำที่เสี่ยงต่อโรคที่ต้องควบคุมตามกลุ่มมือ OIE

กลุ่มสัตว์น้ำ	ชนิดของโรคที่รับรอง	ชนิดของสัตว์น้ำ ที่ต้องพิจารณา
ปลา	1. โรคเคอเชวี (KHV disease หรือ Koi herpesvirus disease)	1. Common carp; <i>Cyprinus carpio</i> 2. Koi carp; <i>Cyprinus carpio</i> 3. Ghost carp; <i>Cyprinus carpio</i> 4. ลูกผสมของปลาสกุลนี้
	2. โรคเอสวีซีวี (SVCV disease หรือ Spring viraemia of carp virus disease)	1. Common carp; <i>Cyprinus carpio</i> 2. Koi carp; <i>Cyprinus carpio</i> 3. Crucian carp; <i>Carassius carassius</i> 4. Sheatfish (European catfish or wels); <i>Silurus glanis</i> 5. Silver carp; <i>Hypophthalmichthys molitrix</i> 6. Bighead carp; <i>Aristichthys nobilis</i> 7. Grass carp (white amur); <i>Ctenopharyngodon idella</i> 8. Goldfish; <i>Carassius auratus</i> 9. Orfe (Ide); <i>Leuciscus idus</i> 10. Tench; <i>Tinca tinca</i> 11. Roach; <i>Rutilus rutilus</i> 12. Zebrafish; <i>Danio rerio</i> 13. Northern pike; <i>Esox lucius</i> 14. Guppy; <i>Lebistes reticulatus</i> 15. Pumpkinseed; <i>Lepomis gibbosus</i> 16. Rainbow trout; <i>Oncorhynchus mykiss</i>
	3. โรคอาร์เอสไอวี (RSIV disease หรือ Red Sea bream iridoviral disease)	1. Red sea bream; <i>Pagrus major</i> 2. Black porgy; <i>Acanthopagrus schlegeli</i> 3. Yellowfin sea bream; <i>Acanthopagrus latus</i> 4. Crimson sea bream; <i>Evyynnus japonica</i> 5. Japanese amberjack; <i>Seriola quinqueradiata</i> 6. Greater amberjack, <i>Seriola dumerili</i> 7. Yellowtail amberjack, <i>Seriola lalandi</i> 8. Hybrid of yellowtail amberjack and Japanese amberjack; <i>S. lalandi</i> × <i>S. quinqueradiata</i> 9. Striped jack; <i>Pseudocaranx dentex</i> 10. Northern bluefin tuna; <i>Thunnus thynnus</i> 11. Japanese Spanish mackerel; <i>Scomberomorus niphonius</i> 12. Chub mackerel; <i>Scomber japonicus</i>

		<p>13. Japanese jack mackerel; <i>Trachurus japonicus</i></p> <p>14. Japanese parrotfish; <i>Oplegnathus fasciatus</i></p> <p>15. Spotted knifejaw; <i>Oplegnathus punctatus</i></p> <p>16. Cobia; <i>Rachycentron canadum</i></p> <p>17. Snubnose pompano; <i>Trachinotus blo chii</i></p> <p>18. Chicken grunt; <i>Parapristipoma trilineatum</i></p> <p>19. Crescent sweetlips; <i>Plectorhinchus cinctus</i></p> <p>20. Chinese emperor; <i>Lethrinus haematopterus</i></p> <p>21. Spangled emperor; <i>Lethrinus nebulosus</i></p> <p>22. Largescale blackfish; <i>Girella punctata</i></p> <p>23. Rockfish; <i>Sebastes schlegeli</i></p> <p>24. Croceine croaker; <i>Pseudosciaena crocea</i></p> <p>25. Hong Kong grouper; <i>Epinephelus akaara</i></p> <p>26. Convict grouper; <i>Epinephelus septemfasciatus</i></p> <p>27. Malabar grouper; <i>Epinephelus malabaricus</i></p> <p>28. Longtooth grouper; <i>Epinephelus bruneus</i></p> <p>29. Orange-spotted grouper; <i>Epinephelus coioides</i></p> <p>30. Yellow grouper; <i>Epinephelus awoara</i></p> <p>31. Greasy grouper; <i>Epinephelus tauvina</i></p> <p>32. Brown-marbled grouper; <i>Epinephelus fuscoguttatus</i></p> <p>33. Giant grouper; <i>Epinephelus lanceolatus</i></p> <p>34. Japanese sea perch; <i>Lateolabrax japonicas</i></p> <p>35. Japanese sea perch; <i>Lateolabrax</i> sp.</p> <p>36. Barramundi or sea bass; <i>Lates calcarifer</i></p> <p>37. Hybrid of striped sea bass and white bass; <i>Morone saxatilis</i> × <i>M. chrysops</i></p> <p>38. Largemouth bass; <i>Micropterus salmoides</i></p> <p>39. Bastard halibut; <i>Paralichthys olivaceus</i></p> <p>40. Spotted halibut; <i>Verasper variegatus</i></p> <p>41. Torafugu; <i>Takifugu rubripes</i></p> <p>42. Chinese perch; <i>Siniperca chuatsi</i></p> <p>43. Red drum; <i>Sciaenops ocellatus</i></p> <p>44. Flathead mullet; <i>Mugil cephalus</i></p> <p>45. Sea bass; <i>Epinephelus</i> sp.</p>
--	--	--

	<p>4. โรควีเอชเอส (VHS หรือ Viral haemorrhagic septicaemia)</p>	<ol style="list-style-type: none"> 1. Rainbow trout (Steelhead trout); <i>Oncorhynchus mykiss</i> 2. Chinook salmon; <i>Oncorhynchus tshawytscha</i> 3. Coho salmon; <i>Oncorhynchus kisutch</i> 4. Atlantic salmon; <i>Salmo salar</i> 5. Brown trout; <i>Salmo trutta</i> 6. Lake trout; <i>Salvelinus namaycush</i> 7. Brook trout; <i>Salvelinus fontinalis</i> 8. Grayling; <i>Thymallus thymallus</i> 9. Whitefish; <i>Coregonus</i> spp. 10. Lake whitefish; <i>Coregonus clupeaformis</i> 11. Muskellunge; <i>Esox masquinongy</i> 12. Northern pike; <i>Esox lucius</i> 13. Atlantic herring; <i>Clupea harengus</i> 14. Pacific herring; <i>Clupea pallasii</i> 15. European sprat; <i>Sprattus sprattus</i> 16. South American pilchard; <i>Sardinops sagax</i> 17. American gizzard shad; <i>Dorosoma cepedianum</i> 18. Atlantic cod; <i>Gadus morhua</i> 19. Pacific cod; <i>Gadus macrocephalus</i> 20. Haddock; <i>Melanogrammus aeglefinus</i> 21. Poor cod; <i>Trisopterus minutus</i> 22. Norway pout; <i>Trisopterus esmarkii</i> 23. Blue whiting; <i>Micromesistius poutassou</i> 24. Whiting; <i>Merlangius merlangus</i> 25. Alaska Pollock; <i>Theragra chalcogramma</i> 26. Pacific tomcod; <i>Microgadus proximus</i> 27. Fourbeard rockling; <i>Enchelyopus cimbrius</i> 28. Burbot; <i>Lota lota</i> 29. Pacific hake; <i>Merluccius productus</i> 30. Dab; <i>Limanda limanda</i> 31. Flounder; <i>Platichthys flesus</i> 32. European plaice; <i>Pleuronectes platessa</i> 33. English sole; <i>Parophrys vetula</i> 34. Greenland halibut; <i>Reinhardtius hippoglossoides</i> 35. Atlantic halibut; <i>Hippoglossus hippoglossus</i> 36. Turbot; <i>Scophthalmus maximus</i>
--	---	---

		<p>37. Japanese flounder; <i>Paralichthys olivaceus</i></p> <p>38. Senegalese sole; <i>Solea senegalensis</i></p> <p>39. Brown bullhead; <i>Ictalurus nebulosus</i></p> <p>40. Channel catfish; <i>Ictalurus punctatus</i></p> <p>41. Lesser argentine; <i>Argentina sphyraena</i></p> <p>42. Eulachon; <i>Thaleichthys pacificus</i></p> <p>43. Surf smelt; <i>Hypomesus pretiosus</i></p> <p>44. Pacific sand lance; <i>Ammodytes hexapterus</i></p> <p>45. Sandeel; <i>Ammodytes</i> spp.</p> <p>46. Pacific sandeel; <i>Ammodytes personatus</i></p> <p>47. Sand goby; <i>Pomatoschistus minutus</i></p> <p>48. Round goby; <i>Neogobius melanostomus</i></p> <p>49. Shiner perch; <i>Cymatogaster aggregata</i></p> <p>50. Largemouth bass; <i>Micropterus salmoides</i></p> <p>51. Smallmouth bass; <i>Micropterus dolomieu</i></p> <p>52. Bluegill; <i>Lepomis macrochirus</i></p> <p>53. Black crappie; <i>Pomoxis nigromaculatus</i></p> <p>54. Rock bass; <i>Ambloplites rupestris</i></p> <p>55. Pumpkinseed; <i>Lepomis gibbosus</i></p> <p>56. Freshwater drum; <i>Aplodinotus grunniens</i></p> <p>57. Yellow perch; <i>Perca flavescens</i></p> <p>58. Walleye; <i>Sander vitreus</i></p> <p>59. Chub mackerel, Pacific mackerel; <i>Scomber japonicus</i></p> <p>60. White bass; <i>Morone chrysops</i></p> <p>61. Striped bass; <i>Morone saxatilis</i></p> <p>62. White perch; <i>Morone americana</i></p> <p>63. Gilthead seabream; <i>Sparus aurata</i></p> <p>64. European seabass; <i>Dicentrarchus labrax</i></p> <p>65. Sablefish; <i>Anoplopoma fimbria</i></p> <p>66. Black rockfish Mebaru (Japanese); <i>Sebastes inermis</i></p> <p>67. European eel; <i>Anguilla anguilla</i></p> <p>68. Mummichog; <i>Fundulus heteroclitus</i></p> <p>69. Three-spined stickleback; <i>Gasterosteus aculeatus</i></p> <p>70. Tube-snout; <i>Aulorhynchus flavidus</i></p> <p>71. Silver redhorse; <i>Moxostoma anisurum</i></p> <p>72. Shorthead redhorse; <i>Moxostoma macrolepidotum</i></p>
--	--	--

		<p>73. Bluntnose minnow; <i>Pimephales notatus</i></p> <p>74. Emerald shiner; <i>Notropis atherinoides</i></p> <p>75. Spottail shiner; <i>Notropis hudsonius</i></p> <p>76. Iberian nase; <i>Chondrostoma polylepis</i></p> <p>77. Trout-perch; <i>Percopsis omiscomaycus</i></p> <p>78. European river lamprey; <i>Lampetra fluviatilis</i></p>
	<p>5. โรคไอเอสเอ็นวี (IHNV disease หรือ Infectious haematopoietic necrosis virus disease)</p>	<p>1. Rainbow (Steelhead trout); <i>Oncorhynchus mykiss</i></p> <p>2. Pacific salmon (Chinook); <i>O. tshawytscha</i></p> <p>3. Pacific salmon (Sockeye); <i>O. nerka</i></p> <p>4. Pacific salmon (Chum); <i>O. keta</i></p> <p>5. Pacific salmon (Pink); <i>O. gorbuscha</i></p> <p>6. Pacific salmon (Amago); <i>O. rhodurus</i></p> <p>7. Pacific salmon (Masou); <i>O. masou</i></p> <p>8. Pacific salmon (Coho); <i>O. kisutch</i></p> <p>9. Atlantic salmon; <i>Salmo salar</i></p> <p>10. Brown trout; <i>S. trutta</i></p> <p>11. Cutthroat trout; <i>O. clarki</i></p> <p>12. Char; <i>Salvelinus namaycush</i></p> <p>13. Char; <i>S. alpinus</i></p> <p>14. Char; <i>S. fontinalis</i></p> <p>15. Char; <i>S. leucomaenis</i></p> <p>16. Grayling, <i>Thymallus articus</i></p> <p>17. Ayu; <i>Plecoglossus altivelis</i></p> <p>18. Herring; <i>Clupea pallasii</i></p> <p>19. Cod; <i>Gadus morhua</i></p> <p>20. Sturgeon (<i>Acipenser transmontanus</i>)</p> <p>21. Pike; <i>Esox lucius</i></p> <p>22. Shiner perch (<i>Cymatogaster aggregata</i>)</p> <p>23. Tube-snout (<i>Aulorhynchus flavidus</i>)</p>
	<p>6. โรคอีเอสเอ็นวี (EHNV disease หรือ Epizootic haematopoietic necrosis virus disease)</p>	<p>1. Redfin perch; <i>Perca fluviatilis</i></p> <p>2. Rainbow trout; <i>Oncorhynchus mykiss</i></p> <p>3. Macquarie perch; <i>Macquaria australasica</i></p> <p>4. Silver perch; <i>Bidyanus bidyanus</i></p> <p>5. Mosquito fish; <i>Gambusia affinis</i></p> <p>6. Mountain galaxias; <i>Galaxias olidus</i></p>

	<p>7. โรคไอเอสเอ (ISA disease หรือ Infectious salmon aneemia disease)</p>	<ol style="list-style-type: none"> 1. Atlantic salmon; <i>Salmo salar</i> 2. Rainbow trout; <i>Oncorhynchus mykiss</i> 3. Coho salmon; <i>O. kisutch</i> 4. Brown trout; <i>S. trutta</i> 5. Sea trout; <i>S. trutta</i>
	<p>8. โรคใจโรดเคทโทโลซิส (Gyrodactylosis disease หรือ <i>Gyrodactylus salar</i> disease)</p>	<ol style="list-style-type: none"> 1. Atlantic salmon; <i>Salmo salar</i> 2. Rainbow trout; <i>Oncorhynchus mykiss</i> 3. Arctic charr; <i>Salvelinus alpinus</i> 4. North American brook trout; <i>Salvelinus fontinalis</i> 5. Grayling, <i>Thymallus thymallus</i> 6. North American lake trout; <i>Salvelinus namaycush</i> 7. Brown trout; <i>Salmo trutta</i>
	<p>9. โรคอีซูเอส (EUS หรือ Epizootic ulcerative syndrome)</p>	<ol style="list-style-type: none"> 1. Yellowfin sea bream; <i>Acanthopagrus australis</i> 2. Black bream; <i>Acanthopagrus berda</i> 3. Chanda perch; <i>Ambassis agassiz</i> 4. Black bullhead; <i>Ameiurus melas</i> 5. Striped grunter; <i>Amniataba percoides</i> 6. Climbing perch; <i>Anabas testudineus</i> 7. Fork-tailed catfish; <i>Arius sp.</i> 8. Narrow banded sole; <i>Aseraggodes macleayanus</i> 9. Straightfin barb; <i>Barbus peludinosus</i> 10. Dashtail barb; <i>Barbus poechii</i> 11. Thamalakanane barb; <i>Barbus thamalakanensis</i> 12. Longbeard barb; <i>Barbus unitaeniatus</i> 13. Silver perch; <i>Bidyanus bidyanus</i> 14. Atlantic menhaden; <i>Brevoortia tyrannus</i> 15. Striped robber; <i>Brycinus lateralis</i> 16. Catla; <i>Catla catla</i> 17. Striped snakehead; <i>Channa striatus</i> 18. Mriga; <i>Cirrhinus mrigala</i> 19. Sharptooth African catfish; <i>Clarias gariepinus</i> 20. Blunt-toothed African catfish; <i>Clarias ngamensis</i> 21. Walking catfish; <i>Clarius batrachus</i> 22. Dwarf gourami; <i>Colisa lalia</i> 23. Flying barb; <i>Esomus sp.</i> 24. Swamp eel; <i>Fluta alba</i>

		<p>25. Mouth almighty; <i>Glossamia aprion</i></p> <p>26. Bar-eyed goby; <i>Glossogobius giuris</i></p> <p>27. Goby; <i>Glossogobius sp.</i></p> <p>28. African pike; <i>Hepsetus odoe</i></p> <p>29. Tigerfish; <i>Hydrocymus vittatus</i></p> <p>30. Channel catfish; <i>Ictalurus punctatus</i></p> <p>31. Nursery fish; <i>Kurtus gulliveri</i></p> <p>32. Red-eye labeo; <i>Labeo cylindricus</i></p> <p>33. Upper Zambezi labeo; <i>Labeo lunatus</i></p> <p>34. Rohu; <i>Labeo rohita</i></p> <p>35. Barramundi or sea bass; <i>Lates calcarifer</i></p> <p>36. Spangled perch; <i>Leiopotherapon unicolor</i></p> <p>37. Bluegill; <i>Lepomis macrochirus</i></p> <p>38. Mangrove jack; <i>Lutjanus argentimaculatus</i></p> <p>39. Bulldog; <i>Marcusenius macrolepidotus</i></p> <p>40. Rainbow fish; <i>Melanotaenia splendida</i></p> <p>41. Silver robber; <i>Micralestes acutidens</i></p> <p>42. Grey mullet or striped mullet; <i>Mugil cephalus</i></p> <p>43. Bullets; <i>Mugilidae (Mugil spp.; Liza spp.)</i></p> <p>44. Bony bream; <i>Nematalosa erebi</i></p> <p>45. Three-spotted tilapia; <i>Oreochromis andersoni</i></p> <p>46. Greenhead tilapia; <i>Oreochromis machrochir</i></p> <p>47. Giant gourami; <i>Osphronemus goramy</i></p> <p>48. Sleepy cod; <i>Oxyeleotris lineolatus</i></p> <p>49. Marble goby; <i>Oxyeleotris marmoratus</i></p> <p>50. Churchill; <i>Petrocephalus catostoma</i></p> <p>51. Dusky flathead; <i>Platycephalus fuscus</i></p> <p>52. Ayu; <i>Plecoglossus altivelis</i></p> <p>53. Spiny turbot; <i>Psettodes sp.</i></p> <p>54. Silver barb; <i>Puntius gonionotus</i></p> <p>55. Pool barb; <i>Puntius sophore</i></p> <p>56. Keti-Bangladeshi; <i>Rohtee sp.</i></p> <p>57. Rainbow bream; <i>Sargochromis carlottae</i></p> <p>58. Green bream; <i>Sargochromis codringtonii</i></p> <p>59. Pink bream; <i>Sargochromis giardi</i></p> <p>60. Spotted scat; <i>Scatophagus argus</i></p>
--	--	---

		<p>61. Silver catfish; <i>Schilbe intermedius</i></p> <p>62. African butter catfish; <i>Schilbe mystus</i></p> <p>63. Saratoga; <i>Scleropages jardini</i></p> <p>64. Striped scat; <i>Selenotoca multifasciata</i></p> <p>65. Thinface largemouth; <i>Serranochromis angusticeps</i></p> <p>66. Nembwe; <i>Serranochromis robustus</i></p> <p>67. Sand whiting; <i>Sillago ciliate</i></p> <p>68. Wells catfish; <i>Siluridae (genus)</i></p> <p>69. Long tom; <i>Strongylura krefftii</i></p> <p>70. Therapon; <i>Therapon sp.</i></p> <p>71. Redbreast tilapia; <i>Tilapia rendalli</i></p> <p>72. Banded tilapia; <i>Tilapia sparrmanii</i></p> <p>73. Common archer fish; <i>Toxotes chatareus</i></p> <p>74. Primitive acher fish; <i>Toxotes lorentzi</i></p> <p>75. Snakeskin gourami; <i>Trichogaster pectoralis</i></p> <p>76. Three-spot gourami; <i>Trichogaster trichopterus</i></p>
กุ้ง ปู	<p>1. โรคไอเอ็มเอ็น (IMN disease หรือ Infectious myonecrosis disease)</p>	<p>1. Pacific white shrimp; <i>Penaeus vannamei</i></p> <p>2. Pacific blue shrimp; <i>P. stylirostris</i></p> <p>3. Black tiger shrimp; <i>P. monodon</i></p>
	<p>2. โรคครีฟิชเพลก (Crayfish plague)</p>	<p>All species of freshwater crayfish include</p> <p>1. Noble crayfish; <i>Astacus astacus</i></p> <p>2. White clawed crayfish; <i>Austropotamobius pallipes</i></p> <p>3. mountain streams of south-west Europe; <i>Austropotamobius torrentium</i></p> <p>4. Slender clawed crayfish; <i>Astacus leptodactylus</i>)</p> <p>5. Signal crayfish; <i>Pacifastacus leniusculus</i></p> <p>6. Louisiana swamp crayfish; <i>Procambarus clarkia</i></p>
	<p>3. โรคตัวแดงดวงขาว (White spot disease)</p>	<p>All decapod (order Decapoda) crustaceans from marine and brackish or freshwater sources</p>
	<p>4. โรคทีเอส (TS หรือ Taura syndrome)</p>	<p>1. Pacific white shrimp, <i>Penaeus vannamei</i></p> <p>2. Pacific blue shrimp, <i>P. stylirostris</i></p> <p>3. <i>P. setiferus</i>,</p> <p>4. <i>P. schmitti</i></p> <p>5. <i>P. monodon</i></p> <p>6. <i>P. chinensis</i></p> <p>7. <i>P. japonicus</i></p>

		<p>8. <i>P. aztecus</i></p> <p>9. <i>P. duorarum</i></p> <p>10. <i>Metapenaeus ensis</i></p>
	<p>5. โรคหัวเหลือง (Yellowhead disease)</p>	<p>1. Black tiger prawn; <i>Penaeus monodon</i></p> <p>2. Pacific white shrimp; <i>P. vannamei</i></p> <p>3. Kuruma prawn; <i>P. japonicus</i></p> <p>4. White banana prawn; <i>P. merguensis</i></p> <p>5. Pacific blue prawn; <i>P. stylirostris</i></p> <p>6. White prawn; <i>P. setiferus</i></p> <p>7. Red endeavour prawn; <i>Metapenaeus ensis</i></p> <p>8. Mysid shrimp; <i>Palaemon styliferus</i></p> <p>9. Antarctic krill; <i>Euphasia superba</i></p>
	<p>6. โรคไอเอชเอชเอ็นวี (IHHNV disease หรือ Infectious hypodermal haemopoietic necrosis virus disease)</p>	<p>Most penaeid species include</p> <p>1. Black tiger shrimp/prawn; <i>Penaeus monodon</i></p> <p>2. Pacific white shrimp; <i>P. vannamei</i></p> <p>3. Pacific blue shrimp; <i>P. stylirostris</i></p>
	<p>7. โรคหางขาว (White tail disease หรือ <i>Macrobrachium rosenbergii</i> nodavirus disease หรือ MrNV disease)</p>	<p>1. Giant freshwater prawn; <i>Macrobrachium rosenbergii</i></p> <p>2. <i>Penaeus indicus</i></p> <p>3. <i>P. monodon</i>,</p> <p>4. <i>P. japonicus</i></p>
หอย	<p>1. โรคโบนาเมีย (Bonamiosis หรือ <i>Bonamia ostreae</i>)</p>	<p>1. European flat oysters; <i>Ostrea edulis</i></p> <p>2. Oyster; <i>O. puelchana</i></p> <p>3. <i>O. angasi</i></p> <p>4. <i>O. chilensis</i></p>
	<p>2. โรคโบนาเมีย (Bonamiosis หรือ <i>Bonamia exitiosa</i>)</p>	<p>1. Oyster; <i>Ostrea chilensis</i></p> <p>2. <i>O. angasi</i></p> <p>3. <i>O. edulis</i></p>
	<p>3. โรคเพอร์คินซัส (Perkinsosis หรือ <i>Perkinsus olseni</i>)</p>	<p>1. Clams; <i>Anadara trapezia</i></p> <p>2. Clams; <i>Austrovenus stutchburyi</i></p> <p>3. Clams; <i>Tapes decussatus</i></p> <p>4. Clams; <i>Tapes philippinarum</i></p> <p>5. Clams; <i>Tridacna maxima</i></p> <p>6. Clams; <i>Tridacna crocea</i></p> <p>7. Clams; <i>Pitar rostrata</i></p> <p>8. Oyster; <i>Crassostrea gigas</i></p> <p>9. Oyster; <i>C. ariakensis</i></p>

		<p>10. Oyster; <i>C. sikamea</i></p> <p>11. Pearl oysters; <i>Pinctada margaritifera</i></p> <p>12. Pearl oysters; <i>P. martensii</i></p> <p>13. Abalone; <i>Haliotis rubra</i></p> <p>14. Abalone; <i>H. laevigata</i></p> <p>15. Abalone; <i>H. scalaris</i></p> <p>16. Abalone; <i>H. cyclobates</i></p> <p>17. Members of the families Arcidae, Malleidae, Isognomonidae, Chamidae and Veneridae</p>
	<p>4. โรคเพอร์กินซิส (Perkinsosis หรือ <i>Perkinsus marinus</i>)</p>	<p>1. Eastern oyster; <i>Crassostrea virginica</i></p> <p>2. Pacific oyster; <i>C. gigas</i>;</p> <p>3. Suminoe oyster; <i>C. ariakensis</i></p> <p>4. Mangrove oyster; <i>C. Rhizophorae</i></p> <p>5. Cortez oyster; <i>C. corteziensis</i></p> <p>6. Softshell clam; <i>Mya arenaria</i></p> <p>7. Baltic macoma; <i>Macoma balthica</i></p>
	<p>5. โรคมาร์ทีเลีย (Marteiliosis หรือ <i>Marteilia refringens</i>)</p>	<p>1. Oyster; <i>Ostrea edulis</i></p> <p>2. Oyster; <i>O. chilensis</i></p> <p>3. Oyster; <i>O. puelchana</i></p> <p>4. Oyster; <i>O. angasi</i></p> <p>5. Oyster; <i>O. Denselamellosa</i></p> <p>6. Mussel; <i>Mytilus . edulis</i></p> <p>7. Mussel; <i>M. galloprovincialis</i></p> <p>8. Clam; <i>Solen marginatus</i></p> <p>9. Clam; <i>Chamelea gallina</i></p>
	<p>6. โรคซีโนฮาลิโอติส (Xenohaliotis disease หรือ Xenobaliotis californiensis disease)</p>	<p>1. Black abalones; <i>Haliotis. cracherodii</i></p> <p>2. White abalones; <i>H. sorenseni</i></p> <p>3. Red abalones; <i>H. rufescens</i></p> <p>4. Pink abalones; <i>H. corrugata</i></p> <p>5. Green abalones, <i>H. fulgens</i></p> <p>6. Small abalone, <i>H. diversicolor supertexta</i></p> <p>7. Flat abalones; <i>H. wallalensis</i></p> <p>8. Japanese abalones; <i>H. discus-hannai</i></p>
	<p>7. โรคบาโลนเฮอร์พีส์ไลค์ไวรัส (Abalone herpes-like virus disease)</p>	<p>1. <i>Haliotis hannai</i></p> <p>2. <i>Haliotis diversicolor</i></p> <p>3. <i>Turbo sp.</i></p>

		<p>4. <i>Tegula rusticum</i></p> <p>5. <i>Mytilus edulis</i></p>
กบ	<p>1. โรครานาไวรัส (Ranavirus disease)</p>	<p>Amphibians (all members of the class Amphibia are considered to be susceptible).</p> <p>Infection also can occur in fish and reptiles with fatal consequences.</p>
	<p>2. โรคชิตริดฟังกัส (Chytrid fungus disease หรือ Batrachochytrium dendrobatidis disease)</p>	<p>Amphibians, including members of all orders Anura (frogs and toads), Caudata (salamanders, newts and sirens) and Gymnophiona (caecilians)</p>